



EWX-LS (high corrugation)



Cable protection conduit open

PRODUCT INFORMATION

The EWX-LS cable protection conduits are made of specially modified polyethylene. The material is halogen, phosphor and cadmium-free.

For installation of pre-assembled cables, retrofitting or repairs in mechanical and plant engineering. For static applications involving light to medium mechanical loads.

The EWX-LS cable protection conduits have a higher corrugation and feature the following advantages:

- Excellent flexibility
- Less wear
- Good crush resistance
- Subsequent installation possible

SPECIFICATIONS

- Mod. polyethylene
- In conformity with IEC EN 61386
Cycles: > 1600 ~
- 20 – 70 °C transient / short term 90 °C
- i.a.w. UL94 HB

HF
RoHS
Made in Germany

Type	Order No.	Colour	A Ø mm	B Ø mm	R stat. mm	Weight kg/100m	Pack m
High corrugation							
EWX-LS-M25/P21	83102218	Grey	19.30	28.30	49.00	9.00	50
EWX-LS-M32/P29	83102220	Grey	23.00	34.20	57.00	11.50	25
EWX-LS-M40/P36	83102222	Grey	28.70	42.30	71.00	15.00	25
EWX-LS-M50/P48	83102224	Grey	37.50	54.00	87.00	22.00	25

MATERIAL PROPERTIES

Mod. polyethylene

Flexural fatigue strength
Cycles: > 1600 ~; Testing method: In conformity with IEC EN 61386; Test value: M25/P21

THERMAL PROPERTIES

Temperature / temperature range
-20 – 70 °C transient / short term 90 °C

FIRE BEHAVIOUR

Fire classification
i.a.w. UL94 HB

TECHNICAL INFORMATION

Halogen-free
DIN 53474

Type EWX-LS (high corrugation)

CONFORMITY

RoHS RoHS (EC Directive 2011/65/EC)

Made in Germany Made in Germany

All details given in our sales brochures and catalogues, as well as the information available online, are based on our current knowledge of the products described.

The electronic data and files made available by Murrplastik, particularly CAD files are based on our current knowledge of the product described.

A legally binding assurance of certain properties or the suitability for a certain purpose can not be determined from this information.

All information with respect to the chemical and physical properties of Murrplastik products, as well as application advice given verbally, in writing or by tests, is given to the best of our knowledge.

This does not free the purchaser of carrying out their own inspections and tests in order to determine the suitability of a product for a specific purpose.

Murrplastik accepts no responsibility for the available information being up-to-date, correct or complete. Neither do we accept responsibility for the quality of this information.

Murrplastik accepts no liability for damage caused as a result of using our products.

Murrplastik reserves the right to make technical changes and improvements through constant further development of products and services.

Our General Terms and Conditions apply.