

## FHS-UHE



FHS-UHE on UR5

### PRODUCT INFORMATION

The FHS-UHE makes fixing the cable protection conduit quick and possible without tools. The conduit is fixed with especially low cable wear for light, dynamic applications and without axial movement of the attachment. The specially coated hook-and-loop tape and the unique shape of the base element gives the system a tight fit on almost any contour. This makes the FHS-UHE suitable for nearly

all small robot cable routings.

Advantages:

- no additional components required
- especially gentle on cables
- secure hold, even on conical surfaces
- quick fit, without pre-drilling
- quick routing adjustment is possible during implementation

### SPECIFICATIONS



mod. polyamide PA 6  
Polypropylene (PP)  
Thermoplastic elastomer



Type	Order No.	Colour	Length of Velcro tape mm	MOQ qty.
<b>suitable for Murrflex EW and EWX</b>				
FHS-UHE M25/P21 350	83693461	Black / Red	350.00	1
FHS-UHE M25/P21 450	83693462	Black / Red	450.00	1
FHS-UHE M25/P21 550	83693463	Black / Red	550.00	1
FHS-UHE M25/P21 750	83693464	Black / Red	750.00	1
FHS-UHE M25/P21 Set <sup>1)</sup>	83693460	Black / Red	350.00 – 750.00	1
FHS-UHE M32/P29 350	83693466	Black / Red	350.00	1
FHS-UHE M32/P29 450	83693467	Black / Red	450.00	1
FHS-UHE M32/P29 550	83693468	Black / Red	550.00	1
FHS-UHE M32/P29 750	83693469	Black / Red	750.00	1
FHS-UHE M32/P29 Set <sup>1)</sup>	83693465	Black / Red	350.00 – 750.00	1

<sup>1)</sup>Set with 4 Velcro tapes



mod. polyamide PA 6  
Polypropylene (PP)  
Thermoplastic elastomer



**RoHS (EC Directive 2011/65/EU)**



**ROBI approval**

## Halter FHS-UHE

---

All details given in our sales brochures and catalogues, as well as the information available online, are based on our current knowledge of the products described.

The electronic data and files made available by Murrplastik, particularly CAD files are based on our current knowledge of the product described.

A legally binding assurance of certain properties or the suitability for a certain purpose can not be determined from this information.

All information with respect to the chemical and physical properties of Murrplastik products, as well as application advice given verbally, in writing or by tests, is given to the best of our knowledge.

They do not release the buyer from the obligation to carry out his own tests and trials in order to determine the concrete suitability of the products for the intended purpose.

Murrplastik accepts no responsibility for the available information being up-to-date, correct or complete. Neither do we accept responsibility for the quality of this information.

Murrplastik accepts no liability for damage caused as a result of using our products.

Murrplastik reserves the right to make technical changes and improvements through constant further development of products and services.

Our General Terms and Conditions apply.