


## ESK cable designation on stainless steel



Laser labelling materials

### PRODUCT INFORMATION

V4A stainless steel labels for cable designation with a material thickness of 0.5 mm. Mounted with cable ties. The labels are installed on a plastic holder.

Marking can only be done with a laser printer system (e.g. mp-LM series).

Special design for demanding environments

- in the chemical or petrochemical industries
- in the mining industry
- in the ship building industry
- in wind energy plants
- in the food industry

### SPECIFICATIONS

	V4A stainless steel
	-80 – 500 °C
	V0

Type	Order No.	Colour	Label size mm	Printable area mm	No. characters/lines	No. per Frame	Software Type	Pack qty.
ESK 60x9 L	8605190015	Brushed stainless steel	60.00 x 9.00	28.00 x 9.00	15 / 2	10	L05	30
ESK 80x9 L	8605190014	Brushed stainless steel	80.00 x 9.00	48.00 x 9.00	26 / 2	10	L04	30
ESK 100x9 L	8605190013	Brushed stainless steel	100.00 x 9.00	68.00 x 9.00	37 / 2	10	L03	30
ESK 60x15 L	8605190012	Brushed stainless steel	60.00 x 15.00	28.00 x 15.00	15 / 4	7	L02	21
ESK 80x15 L	8605190011	Brushed stainless steel	80.00 x 15.00	48.00 x 15.00	26 / 4	7	L01	21
ESK 100x15 L	8605190010	Brushed stainless steel	100.00 x 15.00	68.00 x 15.00	37 / 4	7	L00	21

### MATERIAL PROPERTIES

V4A stainless steel

### THERMAL PROPERTIES

**Temperature / temperature range**  
-80 – 500 °C

### FIRE BEHAVIOUR

**Fire classification**  
V0

### INSTALLATION METHOD

**Cable tie system with plate**

### LABELLING TECHNOLOGY

**Laser devices**

## ESK cable designation on stainless steel

All details given in our sales material prospectuses and catalogues as well as the information available online are based on our current knowledge of the products described.

The electronic data and files made available by Murrplastik, particularly CAD files are based on our current knowledge of the product described.

A legally binding assurance of certain properties or the suitability for a certain purpose can not be determined from this information.

All information with respect to the chemical and physical properties of Murrplastik products as well as application advice given verbally, in writing or by tests, is given to the best of our knowledge.

This does not free the purchaser of carrying out their own inspections and tests in order to determine the suitability of a product for a specific purpose.

Murrplastik accepts no responsibility for the available information being up-to-date, correct or complete. Neither do we accept responsibility for the quality of this information.

Murrplastik accepts no liability for damage caused as a result of using our products.

Murrplastik reserves the right to make technical changes and improvements through constant further development of products and services.

Our General Terms and Conditions apply.

© Murrplastik Systemtechnik GmbH • proID\_129129~20180423~890286~ACS\_MOD\_MPLMMAT\_ESK\_KABEL